


BUCH'S ROUND FRONT LARGE CAPACITY BARROWS

This Barrow is designed for use where large capacity is required.



No. 155 — Wood Handle Barrow

The trays are made from a single sheet of 16 gauge annealed steel, pressed cold, lapped and riveted at the corners. Edge turned over $\frac{1}{4}$ inch round iron making tray stiff and rigid.

Strong channel steel legs with wearing shoes and plank rest.

Steel Wheel, $15\frac{1}{2}$ inch diameter; $1\frac{3}{4} \times 5/16$ inch tire; eight $5/8$ inch oval spokes.




No. 165 — Tubular Handle Barrow

Description of Size

| No. | Length on Top Ins. | Width on Top Ins. | Depth at Wheel on Slant | Depth at Handle on Slant | Capacity Standard Rating | Capacity Struck Measure | Weight Pounds |
|-----|--------------------|-------------------|-------------------------|--------------------------|--------------------------|-------------------------|---------------|
| 155 | 38 | 26 | 21 | 9 | 5 cu. ft. | 4 cu. ft. | 75 |
| 165 | 38 | 26 | 21 | 9 | 5 cu. ft. | 4 cu. ft. | 80 |

BUCH'S EXTRA LARGE CAPACITY BARROW

For Handling Coal — Coke — Ashes and Farm Use



No. 176 — Wood Handle Barrow

Strong channel steel legs of high carbon steel with wearing shoes and plank rest. Steel Wheel $15\frac{1}{2}$ inches diameter; $1\frac{3}{4} \times 5/16$ inch tire; eight oval spokes.

The Trays are made from a single sheet of 16 gauge annealed steel, pressed cold, lapped and riveted at the corners, giving extra strength where most needed. Rim rolled over $\frac{1}{4}$ inch rod.




No. 256 — Tubular Handle Barrow

Description of Size

| No. | Length on Top Ins. | Width on Top Ins. | Depth at Wheel on Slant | Depth at Handle on Slant | Capacity Standard Rating | Capacity Struck Measure | Weight Pounds |
|-----|--------------------|-------------------|-------------------------|--------------------------|--------------------------|-------------------------|---------------|
| 176 | 42 | 33 | 20 | 11 | 6 cu. ft. | $4\frac{1}{2}$ cu. ft. | 80 |
| 256 | 42 | 33 | 20 | 11 | 6 cu. ft. | $4\frac{1}{2}$ cu. ft. | 90 |

BUCH'S GARDEN BARROWS



No. 1-2-3

DESCRIPTION BUCH'S NO. 1 WHEELBARROW

Buch's No. 1 Barrow is a strong, roomy wheelbarrow for farmers' use. The frame is seasoned hardwood, painted red. Size of body: 30 inches long, 24 inches wide in front, 25 inches in back. Sideboards: 12 inches high, 30 inches long. Handles: 5½ feet long, 2¾ x 1¾ inches. Wheel: 22 inches diameter, 6 spokes; hub, 3 inches diameter in center, 2 inches at ends. Back and legs put together by joint bolts. Shipped knocked down unless otherwise instructed. Weight 65 lbs.

DESCRIPTION NO. 2 WHEELBARROW

A durable, neat Garden Barrow. Size of body: 28 inches long, 20 inches wide in front, 24 inches wide at back. Side-


boards: 27 inches long 12 inches high. Handles: 5 feet long, 2 x 1¾ inches. Wheel: 20 inches diameter, 6 spokes. Weight, 50 lbs.

DESCRIPTION NO. 3 WHEELBARROW

No. 3 Wheelbarrow is same style exactly as No. 2, only smaller. Size of body: 26 inches long, 19 inches wide in front, 22 inches wide at back. Sideboards: 26 inches long, 12 inches high. Handles: 58 inches long 2 x 1¾ inches. Wheel: 20 inches diameter, 6 spokes. Weight, 50 lbs.

All barrows are furnished with 1½ inch tread wheel, 2¼ inch tread wheels can be furnished if desired at additional cost. 16 x 4 Pneumatic Rubber Tire Wheels can be furnished.

BUCH'S SPECIAL NO. 5 GARDEN BARROW




No. 5 — Steel Wheel

To meet the demand for a little cheaper product than our high grade Garden Barrow Line we are building our NEW SPECIAL. This is not the cheap type generally offered but is of our high quality production less some of the special features on our regular line.

No. 5—Size of body, 26 in. long, 19 in. wide front, 22 in. wide rear. Sideboards, 12 in. high; handles, 57 in. long. Weight, 50 lbs. 16 x 4 Pneumatic Rubber Wheel can be furnished.

LIGHT HANDY GARDEN BARROW



No. 6B

A garden barrow lighter in weight, of standard size, at reasonable price. Well painted and varnished. Color red.

Steel wheel only. Wheel 15½ in. diameter. 1½" x ¼" Tire. Weight, 40 lbs.

Body length 26 in., width, front 18 in., width, rear 23½ in.


BUCH'S NEW ENGLAND GARDEN BARROW

PAINTED GREEN

A strong, roomy Barrow of high grade material and construction. Wood Wheel with Iron hub and full length steel axle.

No. 64 Body Length 26 in. Width Front 19 in. Rear 22 in. Weight 50 lbs.

No. 65 Body Length 28 in. Width Front 20 in. Rear 23 in. Weight 50 lbs.




No. 64

BUCH'S LADIES GARDEN BARROW — No. 63

A light weight Barrow adapted for use of the women folks, with steel wheel only. Body 24 in. long. Width rear 21 in. Weight 40 lbs.

BUCH'S BOYS GARDEN BARROW



No. 4

A neat, well constructed Barrow. Painted Red and nicely varnished.


No. 4—Body 22 ins. long, 18 inches wide at back. Handles 4 ft. 1 in. long. Weight, 25 lbs.

No. 67 GREENHOUSE BARROW

BODY—31 ins. long, 18 ins. wide at back, 15 ins. wide at front.

STEEL WHEEL—20 in. diameter, 2 in. tire.


Adapted for narrow aisles in greenhouses. Painted Green. Nicely Varnished.



No. 67


BUCH'S ROUND FRONT CONTRACTOR'S BARROW

WOOD HANDLE BARROW



No. 15A—No. 154

TUBULAR HANDLE BARROW



No. 16A—No. 164

Tray—One piece solid pressed steel, with edge turned over $\frac{1}{4}$ " wire. No. 15A and 16A — 16 gauge. No. 154 and No. 165 — 15 gauge. Heavy Channel Steel Legs with wearing shoes and Plank Rest.
Steel Wheel $15\frac{1}{2}$ " dia. $1\frac{3}{4}$ " x 5/16" tire. Pneumatic Rubber Tire Wheels can be furnished at additional cost.

Description of Sizes Wood Handle Barrow

| No. | Length on Top Ins. | Width on Top Ins. | Depth at Wheel on Slant | Depth at Handle on Slant | Capacity Standard Rating | Capacity Struck Measure | Weight Pounds |
|-----|--------------------|-------------------|-------------------------|--------------------------|--------------------------|-------------------------|---------------|
| 15A | 35 | 26 | 17 | 7 | $3\frac{1}{2}$ cu. ft. | $2\frac{1}{2}$ cu. ft. | 65 |
| 154 | 37 | 27 | 17 | 9 | 4 cu. ft. | 3 cu. ft. | 70 |

Description of Sizes Tubular Handle Barrow

| No. | Length on Top Ins. | Width on Top Ins. | Depth at Wheel on Slant | Depth at Handle on Slant | Capacity Standard Rating | Weight Pounds |
|-----|--------------------|-------------------|-------------------------|--------------------------|--------------------------|---------------|
| 16A | 35 | 26 | 17 | 7 | $3\frac{1}{2}$ cu. ft. | 70 |
| 164 | 37 | 27 | 17 | 9 | 4 cu. ft. | 75 |


BUCH'S GENERAL PURPOSE CONTRACTORS' BARROW

WOOD HANDLE BARROW



No. 14—No. 17B—No. 174

TUBULAR HANDLE BARROW



No. 14T—No. 25—No. 254

Trays—One piece solid Pressed Steel, No. 16, gauge, with edge turned over $\frac{1}{4}$ " Round Iron, making tray stiff and rigid. Strong channel steel legs of high carbon steel with wearing shoes and plank rest.
Steel Wheel $15\frac{1}{2}$ inches diameter; $1\frac{3}{4}$ x 5/16 inch tire; eight oval spokes. Pneumatic Rubber tire wheels can be furnished.

Description of Sizes Wood Handle

| No. | Length on Top Ins. | Width on Top Ins. | Depth at Wheel on Slant | Depth at Handle on Slant | Capacity Standard Rating | Capacity Struck Measure | Weight Pounds |
|-----|--------------------|-------------------|-------------------------|--------------------------|--------------------------|-------------------------|---------------|
| 14 | 33 | 27 | $11\frac{1}{2}$ | 6 | 3 cu. ft. | 2 cu. ft. | 60 |
| 17B | 34 | $26\frac{1}{2}$ | 15 | 7 | $3\frac{1}{2}$ cu. ft. | $2\frac{3}{4}$ cu. ft. | 65 |
| 174 | 37 | 28 | 14 | $8\frac{1}{2}$ | 4 cu. ft. | $2\frac{1}{2}$ cu. ft. | 70 |

Description of Sizes Tubular Handle

| No. | Length on Top Ins. | Width on Top Ins. | Depth at Wheel on Slant | Depth at Handle on Slant | Capacity Standard Rating | Weight Pounds |
|-----|--------------------|-------------------|-------------------------|--------------------------|--------------------------|---------------|
| 14T | 33 | 27 | $11\frac{1}{2}$ | 6 | 3 cu. ft. | 65 |
| 25 | 34 | $26\frac{1}{2}$ | 15 | 7 | $3\frac{1}{2}$ cu. ft. | 70 |
| 254 | 37 | 28 | 14 | $8\frac{1}{2}$ | 4 cu. ft. | 75 |

BUCH'S DEEP FRONT CONTRACTOR'S BARROW

Wood Handle Barrow




No. 22B

The Trays are made from a single sheet of 16 gauge annealed steel, pressed cold, lapped and riveted at the corners, giving extra strength where most needed. Rim rolled over $\frac{1}{4}$ -inch rod. Deep bowl of bath tub type.

Strong channel steel legs of high carbon steel with wearing shoes and plank rest.

Steel Wheel $15\frac{1}{2}$ inches diameter; $1\frac{3}{4}$ x 5/16 inch tire; eight oval spokes.

Tubular Handle Barrow



No. 23

Description of Size

| No. | Length on Top Ins. | Width on Top Ins. | Depth at Wheel on Slant | Depth at Handle on Slant | Capacity Standard Rating | Capacity Struck Measure | Weight Pounds |
|-----|--------------------|-------------------|-------------------------|--------------------------|--------------------------|-------------------------|---------------|
| 22B | 36 | 24 | 19 | $8\frac{1}{2}$ | $4\frac{1}{2}$ cu. ft. | $3\frac{1}{2}$ cu. ft. | 70 |


Description of Size

| No. | Length on Top Ins. | Width on Top Ins. | Depth at Wheel on Slant | Depth at Handle on Slant | Capacity Standard Rating | Capacity Struck Measure | Weight Pounds |
|-----|--------------------|-------------------|-------------------------|--------------------------|--------------------------|-------------------------|---------------|
| 23 | 36 | 24 | 19 | $8\frac{1}{2}$ | $4\frac{1}{2}$ cu. ft. | $3\frac{1}{2}$ cu. ft. | 80 |

BUCH'S PRESSED STEEL TRAY HOME BARROW



No. 20 With Steel Wheel




No. 20—With 16 x 2" Semi Pneumatic Rubber Tire Wheel

An attractive priced Barrow for use around Home and Garden.

Tray, one piece, 18 gauge reinforced rolled edge, 3 cu. ft. rated capacity, length, top 32½ in., width, top 25 in., depth, front 14½ in., rear 6 in. Weight of Barrow 38 lbs.

Handles of Hardwood. Strong channel Steel Legs. Steel wheel 15½ in. diameter, 8 spokes, 1½ x ¼ in. Tire. Can be furnished with 16 x 2 in. Semi Pneumatic Rubber Tire Wheel at additional cost.

BUCH'S GENERAL UTILITY STEEL TRAY CEMENT AND DIRT BARROW



Utility No. 21 Barrow — One Piece Tray

Tray of one piece pressed Steel, 18 gauge Top Edge rolled over ¼ inch Rod.

An exceptional Barrow for light cement work and general use around Home and Garden.


Channel Steel Legs braced and riveted. Steel Wheel 15½ inch dia. 1½ x ¼ in. tire, 8 spoke.

Can furnish 16 x 2 inch Pneumatic Rubber Tire Wheel at additional cost.

Size of Tray

| No. | Length on Top Ins. | Width on Top Ins. | Depth at Wheel on Slant | Depth at Handle on Slant | Capacity Standard Rating | Capacity Struck Measure | Weight Pounds |
|-----|--------------------|-------------------|-------------------------|--------------------------|--------------------------|-------------------------|---------------|
| 21 | 33 | 28 | 11½ | 6 | 3 cu. ft. | 2¼ cu. ft. | 50 |

BUCH'S COAL DELIVERY BARROW



Designed for Wheeling Coal from Wagon or Truck to Coal Bin Windows. Narrow Tray for narrow passageways.

Regular heavy Steel Wheel. 16 x 4 Pneumatic Rubber Tire Wheel can be furnished at additional cost. Capacity about 400 lbs. Coal.

Wood Handles can be furnished instead of Tubular if wanted.


No. 10T Tubular. Tray 47 inches long, 23 inches wide. Weight 90 lbs.

No. 10W Wood Handle. Tray 47 in. long, 23 in. wide. Weight 85 lbs.

BUCH'S STRAIGHT HANDLE STONE BARROW

A strong, well-made Barrow. For stone or pig metal. Iron strapped over bottom, and well bolted together. Iron straps put on crosswise, as in cut.

Handles, 6 feet long. Legs, 12 inches long. Bottom, 1¼ inches thick by 23 wide by 27 inches long. Dash, 10 inches high. Wheel, 17 inches diameter; tire, 1¾ x 3/16 inch; spokes, 1 x 1¼ inches. Axle-bolt, 5/8 inch. Painted red. Weight 70• pounds.



No. 11

Buch Manufacturing Company

Elizabethtown, Pa., U. S. A.